

**To:** Sheila Vance[svance@utah.gov]; Smith, Claudia[Smith.Claudia@epa.gov]  
**From:** Ostendorf, Jody  
**Sent:** Tue 3/29/2016 3:14:01 PM  
**Subject:** RE: Possible FIP Information

Hi Sheila,

How about 9 a.m. tomorrow? Claudia is telecommuting, so let's use this call-in number:

866.299.9141

Passcode:

**Ex. 6 - Personal Privacy**

Thanks,

u

Jody

Jody Ostendorf

State Implementation Plan Program Manager

Uinta Basin Project Coordinator

Air Quality Planning Unit (8P-AR)

1595 Wynkoop Street

Denver, CO 80202-1129

303.312.7814

**From:** Sheila Vance [mailto:svance@utah.gov]  
**Sent:** Tuesday, March 29, 2016 9:10 AM  
**To:** Smith, Claudia <Smith.Claudia@epa.gov>

**Cc:** Ostendorf, Jody <ostendorf.jody@epa.gov>  
**Subject:** Re: Possible FIP Information

Hey there - sorry, left last Thursday for a spring break trip and got home last night. So how about a call this week to talk through some of this? I have a very free week, so anytime works for me. I would like to have my engineer Todd Wetzel on the call too, and he telecommutes on Thursday and I am off this Friday, so I guess it would be today or tomorrow if we can get a time to talk. Appreciate your time, thanks!!

Sheila

On Mon, Mar 28, 2016 at 12:30 PM, Smith, Claudia <[Smith.Claudia@epa.gov](mailto:Smith.Claudia@epa.gov)> wrote:

No, you didn't miss anything! I'm pretty open this week.

Thanks,

Claudia

**From:** Ostendorf, Jody  
**Sent:** Monday, March 28, 2016 10:29 AM  
**To:** Smith, Claudia <[Smith.Claudia@epa.gov](mailto:Smith.Claudia@epa.gov)>; Sheila Vance <[svance@utah.gov](mailto:svance@utah.gov)>

**Subject:** RE: Possible FIP Information

Sorry, I was out all last week. Did you have the call yet??

Jody Ostendorf

State Implementation Plan Program Manager

Uinta Basin Project Coordinator

Air Quality Planning Unit (8P-AR)

1595 Wynkoop Street

Denver, CO 80202-1129

303.312.7814

**From:** Smith, Claudia

**Sent:** Thursday, March 24, 2016 1:17 PM

**To:** Sheila Vance <[svance@utah.gov](mailto:svance@utah.gov)>; Ostendorf, Jody <[ostendorf.jody@epa.gov](mailto:ostendorf.jody@epa.gov)>

**Subject:** RE: Possible FIP Information

I am pretty available the rest of today and all day tomorrow for a call. Jody?

Thanks,

Claudia

**From:** Sheila Vance [<mailto:svance@utah.gov>]

**Sent:** Thursday, March 24, 2016 11:53 AM

**To:** Ostendorf, Jody <[ostendorf.jody@epa.gov](mailto:ostendorf.jody@epa.gov)>; Smith, Claudia <[Smith.Claudia@epa.gov](mailto:Smith.Claudia@epa.gov)>

**Subject:** Possible FIP Information


Hello - hope you survived the blizzard yesterday, how crazy! So I am attaching a draft high level, conceptual bullet list of what we are currently thinking about for our permit by rule approach. I was just wondering what you were thinking of doing with dehydrators? I am still learning about these and my folks here are not sure what to do and wondering if we could maybe get an understanding of the direction you are heading in? Not sure if you are able to or if we can discuss on phone, thanks so much!

Sheila

--

**Sheila Vance | Environmental Scientist**

Phone: 801.536.4001




[Website](#) | [Blog](#) | [Twitter](#) | [Facebook](#) | [LinkedIn](#)

195 North 1950 West, Salt Lake City, UT 84116

--

**Sheila Vance | Environmental Scientist**

Phone: 801.536.4001



[Website](#) | [Blog](#) | [Twitter](#) | [Facebook](#) | [LinkedIn](#)

195 North 1950 West, Salt Lake City, UT 84116